

## Literatur zu Kapitel 41

- Aguilar-Raab, C., Grevenstein, D., Gotthardt, L., Jarczok, M. N., Hunger, C., Ditzen, B. & Schweitzer, J. (2018). Changing me, changing us: Relationship quality and collective efficacy as major outcomes in systemic couple therapy. *Family Process*, 57(2), 342–358.
- Alexander, J. & Parsons, B. V. (1982). *Functional family therapy*. Monterey, CA, US: Brooks/Cole Publishing Company.
- Amble, I., Gude, T., Ulvenes, P., Stubdal, S. & Wampold, B. E. (2016). How and when feedback works in psychotherapy: Is it the signal? *Psychotherapy Research*, 26(5), 545–555.
- Asen, E. (2002). Multiple family therapy: An overview. *Journal of Family Therapy*, 24, 3–16.
- Asen, E. & Fonagy, P. (2012). Mentalization-based therapeutic interventions for families. *Journal of Family Therapy*, 34(4), 347–370.
- Asen, E. & Scholz, M. (Hrsg.). (2017). *Handbuch der Multifamilientherapie*. Heidelberg: Carl-Auer.
- Bateson, G., Jackson, D. D., Haley, J. & Weakland, J. (1956). Toward a theory of schizophrenia. *Behavioral Science*, 1(4), 251–264.
- Bateson, G., Jackson, D. D., Haley, J. & Weakland, J. (1963). A note on the Double Bind — 1962. *Family Process*, 2(1), 154–161.
- Bowen, M. (1978). *Family therapy in clinical practice*. New York: Aronson.
- Bray, J.H. & Stanton, M. (2009). *The Wiley-Blackwell handbook of family psychology*. Chichester, UK: Wiley-Blackwell.
- Breunlin, D. C., Pinsof, W. & Russell, W. P. (2011). Integrative problem-centered metaframeworks therapy I: Core concepts and hypothesizing. *Family Process*, 50(3), 293–313.
- Coutinho, J., Oliveira-Silva, P., Fernandes, E., Gonçalves, O. F., Correia, D., Perrone Mc-Govern, K. & Tschacher, W. (2018). Psychophysiological synchrony during verbal interaction in romantic relationships. *Family Process*, online first(0).
- Coyne, J. C. & Anderson, B. J. (1989). The “Psychosomatic family” reconsidered II: Recalling a defective model and looking ahead. *Journal of Marital and Family Therapy*, 15(2), 139–148.
- Dare, C. & Eisler, I. (2000). A multi-family group day treatment programme for adolescent eating disorder. *European Eating Disorders Review*, 8(1), 4–18.
- Eisler, I., Simic, M., Hodsoll, J., Asen, E., Berelowitz, M., Connan, F., . . . Landau, S. (2016). A pragmatic randomised multi-centre trial of multifamily and single family therapy for adolescent anorexia nervosa. *BMC Psychiatry*, 16(1), 422.
- Falloon, I. R. H., Mueser, K., Gingerich, S., Rappaport, S., McGill, C. & Hole, V. (1988). *Behavioral family therapy. A workbook*. Buckingham, UK: Buckingham Mental Health Service.
- Greenberg, L. S. (2004). Emotion-focused therapy. *Clinical Psychology & Psychotherapy*, 11(1), 3–16.
- Hahlweg, K., Kuschel, A. & Miller, Y. (2000). Verhaltenstherapeutische Familientherapie. *Familiendynamik*, 25, 386–410.

- Henggeler, S. W., Schoenwald, S. K., Borduin, C. M., Rowland, M. D. & Cunningham, P. B. (2009). *Multisystemic therapy for antisocial behavior in children and adolescents*. New York: Guilford Press.
- Hoffman, L. (1995). *Grundlagen der Familientherapie* (3. Auflage). Hamburg: Isko Press.
- Hunger, C., Hilzinger, R., Koch, T., Mander, J., Sander, A., Bents, H. & Schweitzer, J. (2016). Comparing systemic therapy and cognitive behavioral therapy for social anxiety disorders: Study protocol for a randomized controlled pilot trial. *Trials*, 17(171).
- Hunger, C., Weinhold, J., Bornhäuser, A., Link, L. & Schweitzer, J. (2015). Mid- and longterm effects of family constellation seminars in a general population sample: 8- and 12-month follow-up. *Family Process*, 54(2), 344–358.
- Johnson, S. (2004). *The practice of emotionally focused couple therapy*. New York: Routledge.
- Karvonen, A., Kykyri, V.-L., Kaartinen, J., Penttonen, M. & Seikkula, J. (2016). Sympathetic nervous system synchrony in couple therapy. *Journal of Marital and Family Therapy*, 42(3), 383–395.
- Koole, S. L. & Tschacher, W. (2016). Synchrony in psychotherapy: A review and an integrative framework for the therapeutic alliance. *Frontiers in Psychology*, 7(862).
- Koopmans, M. (2001). From Double Bind to N-Bind: Toward a new theory of schizophrenia and family interaction. *Nonlinear Dynamics, Psychology, and Life Sciences*, 5(4), 289–323.
- Lambert, M. J. (2010). *Prevention of treatment failure: The use of measuring, monitoring, and feedback in clinical practice*. Washington, DC, US: American Psychological Association.
- Lambert, M. J., Whipple, J. L., Vermeersch, D. A., Smart, D. W., Hawkins, E. J., Nielsen, S. L. & Goates, M. (2002). Enhancing psychotherapy outcomes via providing feedback on client progress: a replication. *Clinical Psychology & Psychotherapy*, 9(2), 91–103.
- Liddle, H. A., Dakof, G. A., Parker, K., Diamond, G. S., Barrett, K. & Tejeda, M. (2001). Multidimensional family therapy for adolescent drug abuse: Results of a randomized clinical trial. *The American Journal of Drug and Alcohol Abuse*, 27(4), 651–688.
- Liddle, H. A., Dakof, G. A., Turner, R. M., Henderson, C. E., & Greenbaum, P. E. (2008). Treating adolescent drug abuse: A randomized trial comparing multidimensional family therapy and cognitive behavior therapy. *Addiction*, 103(10), 1660–1670.
- Massing, A., Reich, G. & Sperling, E. (2006). *Die Mehrgenerationen-Familientherapie* (5. aktual. Auflage). Göttingen: Vandenhoeck & Ruprecht.
- Mattejat, F. (2002). Zusammenarbeit mit Familien bei psychischen Problemen von Kindern und Jugendlichen. In M. Wirsching & P. Scheib (Hrsg.), *Paar- und Familientherapie* (S. 565–580). Berlin, Heidelberg: Springer.
- Minuchin, S. (1974). *Families and family therapy*. Cambridge, MA: Harvard University Press.
- Minuchin, S., Baker, L., Rosman, B. L., Liebman, R., Milman, L. & Todd, T. C. (1975). A conceptual model of psychosomatic illness in children: Family organization and family therapy. *Archives of General Psychiatry*, 32(8), 1031–1038.
- Minuchin, S., Montalvo, B., Guerney, B. G., Rosman, B. L. & Schumer, F. (1967). *Families of the slums*. New York: Basic Books.

- Minuchin, S., Rosman, B. L. & Baker, L. (1978). *Psychosomatic families. Anorexia nervosa in context*. Cambridge: Harvard University Press.
- Olson, D. H., Sprenkle, D. H. & Russell, C. S. (1979). Circumplex model of marital and family systems: I. cohesion and adaptability dimensions, family types, and clinical applications. *Family Process*, 18(1), 3–28.
- Paulick, J., Rubel, J. A., Deisenhofer, A.-K., Schwartz, B., Thielemann, D., Altmann, U., . . . Lutz, W. (2018). Diagnostic features of nonverbal synchrony in psychotherapy: Comparing depression and anxiety. *Cognitive Therapy and Research*, 42(5), 539–551.
- Pinsof, W.M. & Lebow, J.L. (2005). *Family psychology – the art of science*. Oxford: Oxford University Press.
- Pinsof, W., Breunlin, D. C., Russell, W. P. & Lebow, J. (2011). Integrative problem-centered metaframeworks therapy II: Planning, conversing, and reading feedback. *Family Process*, 50(3), 314–336.
- Ramseyer, F. & Tschacher, W. (2011). Nonverbal synchrony in psychotherapy: Coordinated body movement reflects relationship quality and outcome. *Journal of Consulting and Clinical Psychology*, 79, 284–295.
- Reich, C. M., Berman, J. S., Dale, R. & Levitt, H. M. (2014). Vocal synchrony in psychotherapy. *Journal of Social and Clinical Psychology*, 33(5), 481–494.
- Reich, G., Massing, A. & Cierpka, M. (2007). *Praxis der psychoanalytischen Familien- und Paartherapie*. Stuttgart: Kohlhammer.
- Retzer, A. (1996). *Familie und Psychose: Zum Zusammenhang von Familieninteraktionen und Psychopathologie bei schizophrenen, schizoaffectiven und manisch-depressiven Psychosen*. Stuttgart: Fischer Verlag.
- Richter, H.-E. (2012). *Patient Familie* (2. Auflage der Neuausgabe 2007). Gießen: Psychosozial-Verlag.
- Riehl-Emde, A. (2003). *Liebe im Fokus der Paartherapie*. Stuttgart: Klett-Cotta.
- Robin, A. L., Siegel, P. T., Moye, A. W., Gilroy, M., Dennis, A. B. & Sikand, A. (1999). A controlled comparison of family versus individual therapy for adolescents with anorexia nervosa. *Journal of the American Academy of Child & Adolescent Psychiatry*, 38(12), 1482–1489.
- Schiepek, G. K., Tominschek, I. & Heinzl, S. (2014). Self-organization in psychotherapy: Testing the synergetic model of change processes. *Frontiers in Psychology*, 5(1089).
- Schneewind, K. A. (2019). *Familienpsychologie und systemische Familientherapie*. Göttingen: Hogrefe
- Schuham, A. I. (1967). The double-bind hypothesis a decade later. *Psychological Bulletin*, 68(6), 409–416.
- Selvini Palazzoli, M. (1974). *Self-starvation*. London: Chaucer.
- Selvini Palazzoli, M. (1978). *Self-starvation: From individual to family therapy in the treatment of anorexia nervosa*. New York: Aronson.

- Selvini Palazzoli, M. (1986). Towards a general model of psychotic family games. *Journal of Marital and Family Therapy*, 12(4), 339–349.
- Selvini Palazzoli, M., Boscolo, L., Cecchin, G. & Prata, G. (1978). *Paradox and counterparadox: A new model in the therapy of the family in schizophrenic transaction*. Lanham: Rowman & Littlefield Publishers Inc.
- Sheinberg, M. & Fraenkel, P. (2001). *The relational trauma of incest. A family-based approach to treatment*. New York: Guilford Press.
- Sheinberg, M., True, F. & Fraenkel, P. (1994). Treating the sexually abused child: A recursive, multimodal program. *Family Process*, 33(3), 263–276.
- Singer, M. T. & Wynne, L. C. (1965). Thought disorder and family relations of schizophrenics: III. methodology using projective techniques. *Archives of General Psychiatry*, 12(2), 187–200.
- Stierlin, H. (1982). *Delegation und Familie: Beiträge zum Heidelberger familiendynamischen Konzept*. Frankfurt a. M.: Suhrkamp.
- Stierlin, H. (1994). *Individuation und Familie. Studien zur Theorie und therapeutischen Praxis*. Frankfurt a. M.: Suhrkamp.
- Stierlin, H., Rücker-Embsen, I., Wetzel, N., & Wirsching, M. (1980). *Das erste Familiengespräch. Theori, Praxis, Beispiele*. 8. Auflage. Stuttgart: Klett-Cotta.
- Stierlin, H. & Weber, G. (1989). Anorexia nervosa: Lessons from a follow-up study. *Family Systems Medicine*, 7(2), 120–157.
- Szapocznik, J., Schwartz, S. J., Muir, J. A. & Brown, C. H. (2012). Brief strategic family therapy: An intervention to reduce adolescent risk behavior. *Couple and Family Psychology: Research and Practice*, 1(2), 134–145.
- Talmon, M. (1990). *Single-session therapy: Maximizing the effect of the first (and often only) therapeutic encounter*. San Francisco, CA, US: Jossey-Bass.
- Tschacher, W., Rees, G. M. & Ramseyer, F. (2014). Nonverbal synchrony and affect in dyadic interactions. *Frontiers in Psychology*, 5(1323).
- Wampold, B. E. (2001). *The greater psychotherapy debate. Models, methods and findings*. New York: Routledge.
- Wampold, B. E. (2015). Routine outcome monitoring: Coming of age—With the usual developmental challenges. *Psychotherapy*, 52(4), 458–462.
- Watzlawick, P., Bavelas, J. B. & Jackson, D. D. (2011). *Pragmatics of human communication. A study of interactional patterns, pathologies, and paradoxes*. New York: W.W. Norton & Company, Inc.
- Weinhold, J., Hunger, C., Link, L., Rochon, J., Wild, B., Bornhäuser, A. & Schweitzer, J. (2013). Family constellation seminars increase psychological functioning in a general population sample: Results of a randomized controlled trial. *Journal of Counseling Psychology*, 60(4), 601–609.
- Wirsching, M. (1990). Familieninteraktionen am Beginn einer Bronchialkrebserkrankung. In M. Wisching (Hrsg.), *Krebs — Bewältigung und Verlauf* (S. 45–65). Berlin: Springer.